

# Tapered Roller Bearings



Bearing Number	(mm) Size d x D x T	Weight kg	Bearing Number	(mm) Size d x D x T	Weight kg
30202	15/35/11.75	0.05	32210	50/90/24.75	0.648
30203	17/40/13.25	0.074	32211	55/100/26.75	0.853
30204	20/47/15.25	0.12	32303	17/47/20.25	0.173
30205	25/52/16.25	0.15	32304	20/52/22.25	0.230
30206	30/62/17.25	0.232	32305	25/62/25.25	0.366
30207	35/72/18.25	0.32	32306	30/72/28.75	0.550
30208	40/80/19.75	0.42	32307	35/80/32.75	0.730
30209	45/85/20.75	0.474	32308	40/90/35.25	1.10
30210	50/90/21.75	0.54	320/28	28/52/16	0.15
30211	55/100/22.75	0.709	320/32	32/58/17	0.187
30212	60/110/23.75	0.88	R32-10	32/65/32	0.38
30302	15/42/14.25	0.095	322/32	32/65/22.25	0.100
30303	17/47/15.25	0.13	320/22	22/44/15	0.103
30304	20/52/16.25	0.17	33008E	40/68/22	0.307
30305	25/62/18.25	0.26	33110J	50/85/26	0.583
30306	30/72/20.75	0.393	32005/YA5	25/47/15	0.111
30307	35/80/22.75	0.527	32005/YA2	26/47/15	0.105
30308	40/90/25.25	0.72	567205E	25/52/23.75	0.176
30309	45/100/27.25	1.01	R25-90X41Z	25/52/21	0.176
30310	50/110/29.25	1.31	32205g	25/52/19.25	0.183
32001	12/28/10.5	0.0313	32205g/R20-12g	20/52/19.25	0.208
32004	20/42/15	0.097	32205B	25/52/19.25	0.181
32005	25/47/15	0.11	32306B	30/72/28.75	0.615
32006	30/55/17	0.17	32307B	35/80/32.75	0.789
32007	35/62/18	0.22	30303D	17/47/15.25	0.15
32008	40/68/19	0.287	30308D	40/90/25.25	0.742
32009	45/75/20	0.34	31305	25/62/18.25	0.264
32010	50/80/20	0.37	31306J	30/72/20.75	0.392
32011	55/90/23	0.551	31311	55/120/31.50	1.56
32012	60/95/23	0.584	30208J-N	40/80/19.75	0.422
32015	75/115/25	0.875	32008J-N	40/68/19	0.269
32204	20/47/19.25	0.157	30307C	35/80/22.75	
32205	25/52/19.25	0.174	32307C	35/80/32.75	
32206	30/62/21.25	0.273	33205CM	25/52/22	0.219
32207	35/72/24.25	0.426	32907JR	35/55/14	0.119
32208	40/80/24.75	0.530	32206Q	30/62(68)/19.35(6.35)	
32209	45/85/24.75	0.607	32307/37	37/80/32.75	

# Tapered Roller Bearings



Bearing Number	( mm ) Size d x D x T	Weight kg	Bearing Number	( mm ) Size d x D x T	Weight kg
28KW02g	28/52/15.8	0.15	2788/2720	38.1/76.2/23.812	0.489
28KW04g/28KW01g	28/50.292/14	0.742	28580/21	50.8/92.075/24.608	0.707
28KW01ag5/28KW01g	28/50.292/14	0.392	28584/21	52.388/92.075/24.608	0.682
31KW01	31.75/53.975/15.3	0.147	28985/21	60.325/100/25.4	0.77
32KB02	32/65/18.25	0.134	25580/20	44.45/82.931/23.812	0.552
32KB02/11B	32/65/27.25	0.13	25590/20	45.618/82.931/23.812	0.535
32W/53W	32/53/14	0.105	25590/23	45.618/82.931/26.988	0.58
34W/51W	34/51/12	0.0773	26878/22	38.1/79.375/23.812	0.559
11590/20	15.875/42.862/14.288	0.101	26882/20	41.275/80.167/25.4	0.565
15123/15245	31.75/62/18.161	0.246	21075/21212	19.05/53.975/22.225	0.789
15126/15245	31.75/62/19.05	0.257	3490/3420	38.1/79.375/29.37	0.663
15101/15245	25.4/62/19.05	0.298	3579/3525	42.862/87.312/30.162	0.790
15123/15250	31.75/63.5/19.749	0.272	3379/3320	34.925/80.167/29.367	0.717
15578/15520	25.4/57.15/17.462	0.222	3384/3320	41.275/80.167/29.37	0.687
J15585/20	28/57.15/17.463	0.2	355X/352	44.45/90.119/23	0.677
15579X/20	25.988/57.15/17.463	0.222	3780/3720	50.8/93.264/30.162	0.832
1280/1220	22.225/57.15/22.225	0.285	50KW/3720	50/93.264/30.162	0.877
4T-12580/20	20.638/49.225/19.845	0.185	39581/20	57.15/112.712/30.162	1.38
12771	21.51/47/15.2	0.121	4T-365/362	50/90/20	0.52
16150/16282	38.1/72/19	0.355	4T-359S/354X	46.038/85/20.638	0.49
17887-N/17831-N	45.23/79.985/19.842	0.396	328227	35/60/13	
17867	22/41/14.5	0.0792	SK6-7805	26/57.15/17.5	0.216
18590/20	41.275/73.025/16.667	0.285	639174	26/52/15	0.139
4T-11162/11300	41.275/76.2/18.009	0.338	639175	23/52/15	0.152
14118/14283	30/72.085/22.385	0.442	639163	40/70/17	
14138A/14276	34.925/69.012/19.845	0.316	639194/T210	28/67/20.5	0.371
14585/14525	34.925/68.262/20.638	0.320	57508/28521	42/92.075/24.608	0.824
1380/1328	22.225/52.388/19.368	0.19	418/414	38.1/88.501/26.988	0.829
02474/20	28.575/68.262/22.225	0.399	K-537/K-532X	50.8/107.95/36.512	1.55
03062/03162	15.875/41.275/14.288	0.0972	6-7707	33/62/16	0.562
07100S/07210X	25.4/50.8/15.011	0.136	571042/11	15/35/11	0.052
01/28/4016	26/52/15	0.143	A6075/A6157	19.05/39.992/12.014	0.0659
09067/09195	19.05/49.225/18.034	0.172	CR-1252	60/95/27(30.5)	0.660
02872/02820	28.575/73.025/22.225	0.465	803148/803113	45/98/32.1	

# Tapered Roller Bearings



Bearing Number	(mm) Size d × D × T	Weight kg	Bearing Number	(mm) Size d × D × T	Weight kg
225H/41H	22.52/41/12.5	0.0634	LM503349A/10	46/75/18	0.296
24H/41H	24/41/12.5	0.0588	LM48548/10, -RS	34.925/65.088/18.034	0.246
25M1/43Y1	25/43.02/11	0.0607	LM603049/11	45.242/77.788/19.842	0.364
25M1/46M	25/46/11.6	0.0749	LM603049/12	45.242/77.788/21.43	0.384
25M1/45M	25/45/14.5	0.0879	LM72849/10	22.606/47/15.5	0.124
28M/46Y	28/46/11.6	0.0677	LM78349/10A	35/62/16.7	0.209
28YM/51M	28/51/12	0.0988	JL69349/10	38/63/17	0.198
30YM1/48Y1	30/48.03/12	0.0751	JL69345/10	38/63/17	0.202
26/485H	26/48.5/15	0.110	L44649/10	26.988/50.292/14.224	0.125
30/50H	30/50/14.2	0.106	L44643/10, -RS	25.4/50.292/14.224	0.117
25/48	25/48/13	0.0999	L45449/10	29/50.292/14.224	0.105
KW30/KW48S	30/48/14	0.0845	L68149/10	34.988/59.131/15.875	0.167
KW30W/KW52	30/52/17	0.135	L68149/11	34.988/59.975/15.875	0.174
57414/LM300811	40.988/67.975/17.5	0.248	L68145/11	34.988/59.975/15.875	0.185
LM300849/LM300811	40.988/67.975/17.5	0.238	L21549/L21511	15.875/34.988/10.998	0.0491
57207/LM29710	38.1/65.088/18.034	0.233	L713049/10	69.85/101.6/19.05	0.501
TF38KW01	38.1/65.088/18.034	0.239	M86649/10	30.162/64.292/21.433	0.339
LM29749/10	38.1/65.088/18.034	0.247	M88043/10	30.162/68.262/22.225	0.339
LM29749/11	38.1/65.088/19.812	0.247	M88046/10	31.75/68.262/22.225	0.386
LM29748/10	38.1/65.088/18.034	0.247	M88048/10	33.338/68.262/22.225	0.382
LM11749/10	17.462/39.878/13.843	0.126	M84548/10	25.4/57.15/19.431	0.245
LM11949/10, -RS	19.05/45.237/15.494	0.125	M84249/10	25.4/59.53/23.368	0.312
LM12748/10	21.43/45.237/15.494	0.118	M802048/11	41.275/82.55/26.543	0.617
LM12749/10	21.986/45.237/15.494	0.116	M12649/10	21.43/50.005/17.526	0.167
LM12749/11	21.986/45.974/15.494	0.121	HM89449/10	36.512/76.2/29.37	0.637
LM102949/10	45.242/73.431/19.558	0.307	HM88649/10	34.925/72.233/25.4	0.495
LM104949/11	50.8/82.55/21.59	0.45	HM88542/10	31.75/73.025/29.37	0.607
LM104949/10	50.8/82/21.97	0.43	HM88547/11	33.338/73.025/29.37	0.601
JLM104948/10	50/82/21.5	0.43	HM204043/10	40/91/32	1.04
JLM104945/10	50/82/21.5	0.457	HM803149/12	44.45/92.075/30.162	0.9
LM67048/10, -RS	31.75/59.131/15.875	0.176	4T-HM801346/10	38.10/82.55/29.37	0.765
LM67049A/14	31.75/61.986/15.875		TR0305A	17/47/15.25	0.15
LM501349/10	41.275/73.431/19.558	0.335	TR0506R	25/62/18.25	0.258
LM501349/14	41.275/73.431/21.43	0.3	TR0607j-1-N	30/72/24	0.456

# Tapered Roller Bearings



Bearing Number	( mm ) Size d × D × T	Weight kg	Bearing Number	( mm ) Size d × D × T	Weight kg
TRA0607	30/72/20.5	0.363	DHK.07.0088	63.5/95/17.5	0.389
TR0608A	32/75/29.75	0.617	1988/1922	28.575/57.15/19.845	0.23
TR070902/354A	35/85/20.638	0.608	17580/17520	15.875/42.862/16.67	0.122
TR070904	35/89/38.2	1.18	NP850232/JXC10238DF	45.915/75/18	0.318
TR070803	35/80/29.5	0.704	JXC25743C/ JXC25743D	45.975/83.5/23.2	0.547
TR100802	50/83/20.7	0.408	5BC	28.313/38.1	
TR285216g	28/52/15.75	0.146			
TRB1159.08	40/72/22.5	0.385			
TR080803	40/80/30	0.67			
TRB 1165.06	30/90/25.25	0.858			
TRB1166/39	39.688/73.025/25.654	0.438			
U298/U261L	35/65/18	0.251			
U399L/U360L	39.698/73.04/18.778	0.362			
U399/360L-1	39.688/73.025/19.395	0.362			
U399A/U365L	39.688/80/19.395	0.467			
U497/U460L	45/80/23.75	0.462			
ST4090	40/90/25	0.693			
ST2749	26.988/48.998/15.12	0.117			
ST4580	45.23/79.985/19.842	0.416			
K639337	33.338/76.2/29.37	0.672			
K639338	34.925/76.2/29.37	0.649			
K639330	38.995/72/21.433	0.347			
DH8011004	22.5/41/19.6				
R40-38/R40-38AG	40/73/21	0.360			
CBK-257	15/42/13	0.097			
CBK-173	20/43/13.25	0.087			
329013	29/50.292/14.22	0.119			
JL22349/10	22/41/14.4				
34300/34478B	76.2/126.106/24.608	0.958			
30206B.R	30/62(67)/17.25(6.75)	0.232			
6	28.34/44.46				
6-CE	28.34/49.15				
4T-CR-0643X1	30/52/16	0.131			
F15090(TN)	25/59(65.83)/18(4.1)				
609090B	28.885/47				
609463B	28.885/47.5				
DS1737	17/37/11.112	0.055			